

## Victoria

### Profiles with graph

Diseases of the circulatory system.....	66
Ischaemic heart disease.....	68
Cerebrovascular disease .....	70
All causes .....	72

### Profiles without graph

Rheumatic fever and rheumatic heart disease.....	74
Hypertensive disease.....	75
Acute myocardial infarction.....	76
Other ischaemic heart disease.....	77
Heart failure.....	78
Congestive heart failure.....	79
Atherosclerosis.....	80
Peripheral vascular disease.....	81
Other diseases of the circulatory system.....	82

**ICD-9: 390–459  
Diseases of the circulatory system**


**Victoria  
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	22	15	27	18	22	21	9	22	11	8	11	19			
25–34	40	37	45	30	27	31	33	19	31	24	21	20			
35–44	157	136	114	118	116	144	114	122	113	112	76	84			
45–54	460	400	404	378	364	310	313	305	273	293	284	268			
55–59	540	552	502	448	400	348	344	314	324	278	261	214			
60–64	772	740	739	731	689	577	613	614	551	526	480	409			
65–69	958	928	926	899	865	795	958	848	797	797	732	785			
70–74	1,208	1,287	1,257	1,138	1,190	1,083	1,100	1,036	1,039	1,034	1,036	1,046			
75–84	2,273	2,246	2,474	2,355	2,463	2,293	2,438	2,303	2,471	2,398	2,349	2,391			
85+	809	904	967	946	998	995	1,057	1,000	1,070	1,242	1,207	1,336			
Not stated	2	5	2	2	4	1	0	0	0	0	0	0			
25–74	4,135	4,080	3,987	3,742	3,651	3,288	3,475	3,258	3,128	3,064	2,890	2,826			
<b>All ages</b>	<b>7,241</b>	<b>7,250</b>	<b>7,457</b>	<b>7,063</b>	<b>7,138</b>	<b>6,598</b>	<b>6,979</b>	<b>6,583</b>	<b>6,680</b>	<b>6,712</b>	<b>6,457</b>	<b>6,572</b>			
<b>Age-specific rates (per million population)</b>															
< 25	26	18	32	21	26	25	11	26	13	9	13	23	-4.9 *	82.3	
25–34	123	112	135	89	78	88	92	52	85	66	58	56	-7.1 **	0.8	
35–44	585	490	397	399	382	460	356	373	340	336	228	251	-6.1 **	-6.5	
45–54	2,226	1,925	1,931	1,780	1,680	1,403	1,378	1,301	1,126	1,157	1,083	992	-7.0 **	2.7	
55–59	5,314	5,403	4,878	4,385	3,975	3,522	3,529	3,276	3,388	2,882	2,656	2,133	-7.3 **	-14.5	
60–64	9,270	8,431	8,195	7,959	7,420	6,103	6,444	6,404	5,784	5,613	5,232	4,516	-5.7 **	-8.1	
65–69	14,777	14,563	14,264	13,251	12,187	10,680	12,211	10,567	9,717	9,551	8,609	9,193	-5.0 **	8.9	
70–74	23,888	24,547	23,380	20,993	21,749	20,049	20,574	18,846	18,066	17,175	16,455	15,769	-3.9 **	-1.9	
75–84	48,519	45,726	48,368	44,197	44,422	39,825	40,825	37,356	38,883	36,976	35,761	35,805	-3.0 **	3.7	
85+	105,174	112,929	111,676	101,004	101,858	97,578	98,316	89,182	89,248	97,481	90,041	95,103	-1.7 **	8.5 *	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	3,615	3,583	3,646	3,419	3,416	3,117	3,255	3,030	3,047	3,042	2,920	2,965			
Age std	4,947	4,849	4,849	4,439	4,376	3,969	4,076	3,732	3,689	3,624	3,400	3,385	-3.7 **	3.1 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	3,756	3,640	3,493	3,219	3,082	2,723	2,825	2,602	2,465	2,388	2,235	2,168			
Age std	3,893	3,777	3,625	3,343	3,211	2,863	2,988	2,746	2,579	2,474	2,286	2,187	-5.2 **	-0.8	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p < 0.05, \*\*p < 0.01.



Source: Australian Institute of Health and Welfare

**Diseases of the circulatory system, Victoria, males, age-standardised mortality rates (all ages) and fitted trend**


**ICD-9: 390–459**  
**Diseases of the circulatory system**
**Victoria**  
**Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	12	9	15	14	8	9	11	5	14	17	7	9			
25–34	10	22	21	18	23	25	12	14	13	11	13	11			
35–44	51	50	43	31	29	26	39	33	36	37	30	33			
45–54	137	146	108	113	86	76	88	76	95	91	85	73			
55–59	201	150	132	145	129	94	102	94	100	91	92	88			
60–64	304	314	316	293	270	218	214	237	153	168	154	132			
65–69	500	474	495	518	469	409	438	425	403	394	363	325			
70–74	878	851	860	871	776	729	757	667	663	640	663	618			
75–84	2,536	2,677	2,876	2,672	2,868	2,599	2,813	2,688	2,577	2,791	2,477	2,603			
85+	2,305	2,479	2,738	2,666	2,698	2,597	2,840	2,698	2,723	2,970	2,888	3,113			
Not stated	2	0	1	0	1	0	0	0	0	0	0	0			
25–74	2,081	2,007	1,975	1,989	1,782	1,577	1,650	1,546	1,463	1,432	1,400	1,280			
<b>All ages</b>	<b>6,936</b>	<b>7,172</b>	<b>7,605</b>	<b>7,341</b>	<b>7,357</b>	<b>6,782</b>	<b>7,314</b>	<b>6,937</b>	<b>6,777</b>	<b>7,210</b>	<b>6,772</b>	<b>7,005</b>			
<b>Age-specific rates (per million population)</b>															
< 25	15	11	19	17	10	11	14	6	17	21	9	11	-1.3	-12.2	
25–34	31	67	63	53	67	71	34	39	36	30	36	31	-5.5 *	-11.2	
35–44	196	186	154	107	97	84	123	101	108	110	89	97	-5.9 **	22.2	
45–54	689	732	537	556	414	358	402	336	406	371	333	276	-7.6 **	-2.5	
55–59	1,990	1,487	1,314	1,470	1,328	981	1,073	998	1,066	957	946	888	-6.4 **	11.2	
60–64	3,345	3,309	3,267	2,999	2,760	2,225	2,189	2,434	1,582	1,772	1,662	1,445	-7.7 **	-4.7	
65–69	6,546	6,323	6,516	6,592	5,728	4,782	4,897	4,664	4,383	4,261	3,903	3,511	-5.7 **	-6.2	
70–74	13,511	12,584	12,450	12,452	11,056	10,491	11,085	9,600	9,146	8,505	8,481	7,579	-4.9 **	-5.6	
75–84	32,691	33,299	34,728	31,391	32,704	28,798	30,169	28,035	26,277	27,959	24,567	25,524	-2.9 **	1.9	
85+	102,691	106,304	110,092	100,680	99,341	93,166	98,958	92,179	89,516	93,703	87,022	90,679	-1.7 **	4.7	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	3,412	3,493	3,665	3,504	3,470	3,160	3,361	3,145	3,041	3,212	3,006	3,101			
Age std	3,055	3,056	3,117	2,908	2,832	2,541	2,672	2,477	2,344	2,412	2,200	2,198	-3.4 **	1.0	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	1,863	1,765	1,707	1,690	1,486	1,291	1,326	1,220	1,137	1,099	1,064	964			
Age std	1,712	1,625	1,574	1,557	1,375	1,205	1,255	1,159	1,073	1,031	986	883	-5.8 **	-3.7 *	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



**ICD-9: 410–414  
Ischaemic heart disease**


**Victoria  
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	1	0	2	3	2	0	1	3	3	1	0	2			
25–34	19	14	16	6	11	11	14	5	12	10	8	7			
35–44	103	94	73	87	85	104	74	87	79	62	45	50			
45–54	352	299	305	292	269	226	246	210	185	215	207	186			
55–59	420	426	387	333	301	258	242	242	243	194	184	151			
60–64	571	573	543	561	499	419	458	422	390	380	335	273			
65–69	685	662	689	635	605	582	654	597	548	546	501	541			
70–74	805	872	851	772	775	699	748	682	700	695	695	672			
75–84	1,362	1,347	1,476	1,431	1,464	1,352	1,473	1,424	1,484	1,457	1,453	1,393			
85+	384	441	471	454	473	463	550	529	575	666	608	702			
Not stated	0	4	2	2	3	0	0	0	0	0	0	0			
25–74	2,955	2,940	2,864	2,686	2,545	2,299	2,436	2,245	2,157	2,102	1,975	1,880			
<b>All ages</b>	<b>4,702</b>	<b>4,732</b>	<b>4,815</b>	<b>4,576</b>	<b>4,487</b>	<b>4,114</b>	<b>4,460</b>	<b>4,201</b>	<b>4,219</b>	<b>4,226</b>	<b>4,036</b>	<b>3,977</b>			
<b>Age-specific rates (per million population)</b>															
< 25	1	0	2	4	2	0	1	4	4	1	0	2			
25–34	58	42	48	18	32	31	39	14	33	28	22	20	-7.6 *	-2.4	
35–44	384	339	254	294	280	332	231	266	238	186	135	150	-7.1 **	-13.0	
45–54	1,704	1,439	1,458	1,375	1,242	1,022	1,083	896	763	849	790	688	-7.8 **	0.8	
55–59	4,133	4,170	3,760	3,259	2,991	2,611	2,482	2,525	2,541	2,011	1,872	1,505	-8.1 **	-14.5	
60–64	6,856	6,528	6,022	6,108	5,374	4,432	4,815	4,402	4,094	4,055	3,651	3,014	-6.5 **	-11.9	
65–69	10,566	10,389	10,613	9,359	8,524	7,818	8,336	7,439	6,681	6,543	5,892	6,336	-5.5 **	10.3	
70–74	15,919	16,632	15,829	14,241	14,164	12,940	13,990	12,406	12,171	11,544	11,039	10,131	-4.1 **	-5.5	
75–84	29,073	27,423	28,856	26,856	26,404	23,482	24,666	23,098	23,352	22,466	22,120	20,860	-2.9 **	-1.4	
85+	49,922	55,091	54,394	48,473	48,275	45,406	51,158	47,177	47,961	52,272	45,356	49,972	-0.6	6.6	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	2,347	2,339	2,354	2,215	2,147	1,944	2,080	1,934	1,925	1,915	1,825	1,794			
Age std	3,088	3,045	3,023	2,782	2,668	2,400	2,550	2,340	2,293	2,249	2,092	2,024	-3.9 **	-0.1	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	2,684	2,623	2,509	2,310	2,149	1,904	1,980	1,793	1,700	1,638	1,528	1,442			
Age std	2,768	2,710	2,599	2,391	2,231	1,995	2,089	1,888	1,776	1,695	1,561	1,454	-5.7 **	-2.7 *	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p < 0.05, \*\*p < 0.01.



Source: Australian Institute of Health and Welfare

**Ischaemic heart disease, Victoria, males, age-standardised mortality rates (all ages) and fitted trend**


**ICD-9: 410–414**  
**Ischaemic heart disease**
**Victoria**  
**Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	0	0	2	0	0	0	1	1	0	0	1	0			
25–34	0	4	4	3	3	4	5	1	1	3	3	1			
35–44	17	14	14	8	9	8	10	15	7	13	10	13			
45–54	79	82	53	54	45	39	31	37	37	43	39	38			
55–59	108	77	74	81	66	52	55	47	57	58	52	49			
60–64	172	204	181	175	167	123	127	150	90	96	90	78			
65–69	313	301	296	322	315	241	262	269	240	244	215	206			
70–74	512	496	511	488	475	423	465	416	409	382	383	347			
75–84	1,276	1,358	1,434	1,402	1,455	1,350	1,512	1,393	1,401	1,543	1,236	1,345			
85+	897	965	1,055	1,076	1,098	1,071	1,213	1,174	1,167	1,344	1,265	1,394			
Not stated	2	0	1	0	0	0	0	0	0	0	0	0			
25–74	1,201	1,178	1,133	1,131	1,080	890	955	935	841	839	792	732			
<b>All ages</b>	<b>3,376</b>	<b>3,501</b>	<b>3,625</b>	<b>3,609</b>	<b>3,633</b>	<b>3,311</b>	<b>3,681</b>	<b>3,503</b>	<b>3,409</b>	<b>3,726</b>	<b>3,294</b>	<b>3,471</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	2	0	0	0	1	1	0	0	1	0			
25–34	0	12	12	9	9	11	14	3	3	8	8	3	-3.7	-63.0	
35–44	65	52	50	28	30	26	31	46	21	39	30	38	-4.6	51.5	
45–54	397	411	264	266	217	184	142	164	158	175	153	144	-9.6 **	27.1	
55–59	1,069	763	737	821	680	543	579	499	608	610	535	494	-5.6 **	6.6	
60–64	1,892	2,150	1,871	1,791	1,707	1,255	1,299	1,540	931	1,013	971	854	-7.8 **	-4.8	
65–69	4,098	4,016	3,896	4,098	3,847	2,818	2,929	2,952	2,610	2,639	2,311	2,226	-5.9 **	-1.2	
70–74	7,879	7,334	7,398	6,977	6,767	6,087	6,809	5,988	5,642	5,077	4,899	4,256	-4.8 **	-12.8	
75–84	16,448	16,892	17,316	16,471	16,591	14,958	16,216	14,529	14,286	15,457	12,259	13,188	-2.4 **	-2.0	
85+	39,963	41,381	42,421	40,634	40,429	38,422	42,266	40,111	38,364	42,403	38,117	40,606	-0.3	2.9	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	1,661	1,705	1,747	1,723	1,713	1,543	1,692	1,588	1,530	1,660	1,462	1,536			
Age std	1,506	1,512	1,508	1,454	1,425	1,260	1,365	1,272	1,198	1,266	1,089	1,107	-3.0 **	-1.5	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	1,075	1,036	979	961	901	729	767	738	654	644	602	551			
Age std	988	953	900	885	832	678	723	699	614	603	557	506	-5.8 **	-4.7 *	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



**ICD-9: 430–438  
Cerebrovascular disease**


**Victoria  
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	7	4	6	4	2	8	2	3	0	3	1	6			
25–34	9	9	11	12	6	6	7	7	6	5	1	4			
35–44	19	16	21	16	12	14	14	16	18	20	12	16			
45–54	56	50	55	31	42	29	26	41	42	38	32	34			
55–59	57	62	46	53	39	30	45	31	36	30	30	30			
60–64	96	83	85	80	88	71	63	77	61	50	69	57			
65–69	138	152	114	129	122	104	143	105	122	109	96	95			
70–74	220	224	214	200	194	201	158	171	161	161	158	191			
75–84	487	467	508	461	503	484	502	427	493	441	449	538			
85+	179	202	208	220	241	251	227	219	230	243	271	319			
Not stated	2	1	0	0	0	0	0	0	0	0	0	0			
25–74	595	596	546	521	503	455	456	448	446	413	398	427			
<b>All ages</b>	<b>1,270</b>	<b>1,270</b>	<b>1,268</b>	<b>1,206</b>	<b>1,249</b>	<b>1,198</b>	<b>1,187</b>	<b>1,097</b>	<b>1,169</b>	<b>1,100</b>	<b>1,119</b>	<b>1,290</b>			
<b>Age-specific rates (per million population)</b>															
< 25	8	5	7	5	2	10	2	4	0	4	1	7	-7.3	326.9 *	
25–34	28	27	33	35	17	17	20	19	17	14	3	11	-10.6 **	15.3	
35–44	71	58	73	54	39	45	44	49	54	60	36	48	-3.2	14.2	
45–54	271	241	263	146	194	131	114	175	173	150	122	126	-6.5 **	8.6	
55–59	561	607	447	519	388	304	462	323	376	311	305	299	-6.1 **	8.3	
60–64	1,153	946	943	871	948	751	662	803	640	534	752	629	-5.1 **	9.1	
65–69	2,129	2,385	1,756	1,901	1,719	1,397	1,823	1,308	1,487	1,306	1,129	1,113	-6.0 **	-1.7	
70–74	4,350	4,272	3,980	3,689	3,546	3,721	2,955	3,111	2,799	2,674	2,510	2,879	-4.8 **	19.8	
75–84	10,395	9,508	9,932	8,652	9,072	8,406	8,406	6,926	7,758	6,800	6,836	8,057	-3.3 **	24.6 **	
85+	23,271	25,234	24,021	23,489	24,597	24,615	21,114	19,531	19,184	19,072	20,216	22,708	-1.9 **	21.3 *	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	634	628	620	584	598	566	554	505	533	499	506	582			
Age std	917	896	868	799	809	761	722	645	665	608	606	681	-3.8 **	19.3 **	
<b>Agnes 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	540	532	478	448	425	377	371	358	351	322	308	328			
Age std	570	561	503	472	448	404	395	382	370	335	316	330	-5.4 **	11.1 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p < 0.05, \*\*p < 0.01.



Source: Australian Institute of Health and Welfare

**Cerebrovascular disease, Victoria, males, age-standardised mortality rates (all ages) and fitted trend**

**ICD-9: 430–438  
Cerebrovascular disease**
**Victoria  
Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	5	3	5	4	2	2	2	2	3	2	2	2	2		
25–34	8	10	9	9	10	10	2	5	5	4	3	3	3		
35–44	21	21	19	15	8	8	15	9	15	11	11	6	6		
45–54	32	36	37	33	18	23	26	20	33	28	30	22	22		
55–59	53	44	27	40	36	29	28	22	30	13	17	25	25		
60–64	85	61	84	61	64	52	41	46	30	35	28	28	28		
65–69	105	99	116	106	81	88	89	78	78	71	65	59	59		
70–74	211	218	190	223	162	186	148	152	130	117	160	132	132		
75–84	723	768	851	748	771	699	702	726	661	683	731	675	675		
85+	689	715	817	816	764	737	779	746	750	797	816	885	885		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	515	489	482	487	379	396	349	332	321	279	314	275	275		
<b>All ages</b>	<b>1,932</b>	<b>1,975</b>	<b>2,155</b>	<b>2,055</b>	<b>1,916</b>	<b>1,834</b>	<b>1,832</b>	<b>1,806</b>	<b>1,735</b>	<b>1,761</b>	<b>1,863</b>	<b>1,837</b>	<b>1,837</b>		
<b>Age-specific rates (per million population)</b>															
< 25	6	4	6	5	2	2	2	2	4	2	2	3	3	-8.1	26.6
25–34	25	30	27	27	29	29	6	14	14	11	8	8	8	-11.3 **	-8.7
35–44	81	78	68	52	27	26	47	28	45	33	33	18	18	-10.2 **	-28.2
45–54	161	180	184	162	87	108	119	88	141	114	118	83	83	-5.2 **	-15.8
55–59	525	436	269	405	371	303	295	233	320	137	175	252	252	-7.8 **	47.5
60–64	935	643	869	624	654	531	419	472	310	369	302	307	307	-10.0 **	11.5
65–69	1,375	1,321	1,527	1,349	989	1,029	995	856	848	768	699	637	637	-7.3 **	-4.2
70–74	3,247	3,224	2,751	3,188	2,308	2,677	2,167	2,188	1,793	1,555	2,047	1,619	1,619	-6.4 **	-0.7
75–84	9,320	9,553	10,276	8,788	8,792	7,745	7,529	7,572	6,740	6,842	7,250	6,619	6,619	-3.8 **	2.8
85+	30,696	30,660	32,851	30,816	28,131	26,439	27,144	25,488	24,656	25,145	24,588	25,779	25,779	-2.5 **	10.6 *
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	951	962	1,039	981	904	855	842	819	779	785	827	813	813		
Age std	846	837	880	805	728	683	661	637	593	579	597	567	567	-4.3 **	5.4 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	461	430	417	414	316	324	280	262	250	214	239	207	207		
Age std	424	396	388	381	292	303	267	249	237	202	220	189	189	-7.3 **	0.9

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



**ICD-9: 001–999  
All causes**


**Victoria  
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	897	855	888	892	910	888	802	816	750	655	669	564			
25–34	394	385	398	430	447	509	508	468	430	437	389	357			
35–44	485	478	435	462	487	555	535	561	542	569	503	511			
45–54	1,114	1,033	1,022	932	997	919	976	865	924	979	965	933			
55–59	1,227	1,205	1,128	1,039	1,034	911	955	862	870	806	768	740			
60–64	1,591	1,610	1,686	1,642	1,647	1,539	1,548	1,483	1,507	1,374	1,296	1,210			
65–69	2,032	1,904	1,969	1,941	1,961	1,881	2,161	2,074	1,975	2,039	1,922	2,033			
70–74	2,360	2,485	2,518	2,459	2,503	2,395	2,382	2,287	2,323	2,372	2,396	2,583			
75–84	4,241	4,257	4,669	4,502	4,819	4,901	5,110	4,848	5,141	5,195	5,011	5,155			
85+	1,479	1,622	1,798	1,719	1,902	1,926	2,098	2,055	2,044	2,390	2,469	2,679			
Not stated	3	9	5	3	7	2	4	2	2	0	1	0			
25–74	9,203	9,100	9,156	8,905	9,076	8,709	9,065	8,600	8,571	8,576	8,239	8,367			
<b>All ages</b>	<b>15,823</b>	<b>15,843</b>	<b>16,516</b>	<b>16,021</b>	<b>16,714</b>	<b>16,426</b>	<b>17,079</b>	<b>16,321</b>	<b>16,508</b>	<b>16,816</b>	<b>16,389</b>	<b>16,765</b>			
<b>Age-specific rates (per million population)</b>															
< 25	1,058	1,011	1,052	1,061	1,083	1,055	951	963	885	774	797	678	-3.4 **	-16.7 **	
25–34	1,210	1,169	1,195	1,271	1,296	1,448	1,418	1,288	1,183	1,205	1,083	1,003	-1.0 *	-18.4 **	
35–44	1,806	1,722	1,513	1,562	1,603	1,773	1,671	1,713	1,630	1,706	1,508	1,528	-0.6	-5.2	
45–54	5,391	4,973	4,884	4,388	4,602	4,158	4,296	3,690	3,810	3,867	3,681	3,452	-3.6 **	0.1	
55–59	12,075	11,794	10,960	10,169	10,276	9,221	9,796	8,993	9,098	8,355	7,814	7,374	-4.1 **	-4.1	
60–64	19,104	18,343	18,697	17,878	17,737	16,278	16,273	15,469	15,818	14,663	14,126	13,360	-3.1 **	-4.3	
65–69	31,344	29,879	30,330	28,609	27,628	25,268	27,544	25,844	24,080	24,436	22,604	23,808	-2.8 **	6.0	
70–74	46,668	47,397	46,835	45,361	45,745	44,336	44,552	41,602	40,392	39,399	38,057	38,939	-2.1 **	1.9	
75–84	90,527	86,667	91,281	84,491	86,913	85,121	85,567	78,637	80,898	80,104	76,287	77,196	-1.5 **	0.7	
85+	192,278	202,623	207,645	183,536	194,121	188,879	195,145	183,269	170,490	187,583	184,185	190,703	-0.7 **	6.7 *	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	7,899	7,830	8,076	7,756	7,998	7,761	7,965	7,512	7,531	7,621	7,411	7,564			
Age std	10,362	10,162	10,337	9,674	9,853	9,485	9,628	8,963	8,801	8,798	8,400	8,418	-2.0 **	0.5	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	8,359	8,119	8,022	7,660	7,662	7,213	7,369	6,868	6,755	6,684	6,373	6,420			
Age std	8,604	8,369	8,273	7,912	7,915	7,504	7,699	7,178	7,003	6,877	6,487	6,464	-2.6 **	-0.3	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p < 0.05, \*\*p < 0.01.



Source: Australian Institute of Health and Welfare

**All causes, Victoria, males, age-standardised mortality rates (all ages) and fitted trend**

**ICD-9: 001–999**  
**All causes**
**Victoria**  
**Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	509	440	485	477	456	450	419	446	390	348	368	303			
25–34	156	162	163	162	182	192	192	176	196	140	155	153			
35–44	250	264	238	268	289	311	337	287	319	307	293	306			
45–54	612	565	559	540	522	523	546	536	586	540	483	525			
55–59	611	574	590	520	562	515	465	441	447	448	448	442			
60–64	865	867	928	825	855	824	821	789	746	677	673	667			
65–69	1,148	1,093	1,205	1,177	1,149	1,151	1,220	1,212	1,218	1,155	1,116	1,152			
70–74	1,758	1,687	1,782	1,723	1,665	1,564	1,650	1,566	1,614	1,593	1,642	1,660			
75–84	4,186	4,362	4,720	4,458	4,880	4,706	5,047	4,844	4,839	5,112	4,824	5,113			
85+	3,445	3,674	4,165	4,004	4,273	4,064	4,603	4,368	4,353	4,815	4,806	5,267			
Not stated	2	1	2	0	2	0	0	0	0	0	0	0			
25–74	5,400	5,212	5,465	5,215	5,224	5,080	5,231	5,007	5,126	4,860	4,810	4,905			
<b>All ages</b>	<b>13,542</b>	<b>13,689</b>	<b>14,837</b>	<b>14,154</b>	<b>14,835</b>	<b>14,300</b>	<b>15,300</b>	<b>14,665</b>	<b>14,708</b>	<b>15,135</b>	<b>14,808</b>	<b>15,588</b>			
<b>Age-specific rates (per million population)</b>															
< 25	624	542	599	591	566	558	518	548	480	430	458	381	-3.4 **	-14.7 *	
25–34	479	491	488	479	528	548	537	485	537	384	428	425	-1.3	-7.7	
35–44	962	980	850	922	964	1,004	1,061	880	959	915	870	903	-0.5	-1.9	
45–54	3,079	2,831	2,781	2,657	2,513	2,465	2,496	2,371	2,502	2,203	1,893	1,986	-3.6 **	-1.8	
55–59	6,049	5,691	5,875	5,271	5,787	5,374	4,892	4,680	4,766	4,711	4,609	4,459	-2.8 **	1.3	
60–64	9,516	9,137	9,595	8,444	8,740	8,411	8,397	8,102	7,715	7,141	7,264	7,302	-2.7 **	3.2	
65–69	15,029	14,581	15,861	14,979	14,033	13,457	13,639	13,301	13,246	12,490	11,998	12,446	-2.2 **	3.4	
70–74	27,052	24,945	25,798	24,633	23,721	22,508	24,161	22,540	22,264	21,170	21,005	20,358	-2.3 **	-0.8	
75–84	53,960	54,258	56,995	52,373	55,647	52,144	54,129	50,521	49,343	51,209	47,845	50,136	-1.1 **	2.9	
85+	153,479	157,547	167,471	151,208	157,333	145,794	160,389	149,236	143,101	151,912	144,816	153,423	-0.6 **	5.6 **	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	6,663	6,667	7,150	6,756	6,997	6,664	7,032	6,648	6,601	6,743	6,574	6,900			
Age std	6,110	5,990	6,283	5,827	5,947	5,631	5,863	5,510	5,396	5,365	5,131	5,252	-1.6 **	1.7 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	4,833	4,584	4,723	4,432	4,356	4,160	4,204	3,951	3,985	3,730	3,657	3,693			
Age std	4,496	4,273	4,413	4,155	4,103	3,955	4,034	3,804	3,825	3,563	3,467	3,481	-2.3 **	0.5	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



**ICD-9: 390–398**  
**Rheumatic fever and rheumatic heart disease**
**Victoria**  
**Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Males</b>															
<b>Deaths (number)</b>															
< 25	1	0	0	0	0	0	0	1	0	0	0	0	0		
25–34	2	1	1	1	1	1	0	0	1	0	0	1	1		
35–44	1	1	0	2	2	4	3	0	0	0	2	1	1		
45–54	7	4	1	7	1	7	1	1	2	2	3	2	2		
55–59	3	5	2	2	6	1	1	1	2	2	1	1	1		
60–64	6	3	3	5	6	7	7	5	5	0	5	2	2		
65–69	6	3	6	6	3	2	6	3	1	5	8	5	5		
70–74	5	6	2	5	4	7	3	5	7	1	4	9	9		
75–84	6	5	10	12	13	11	3	3	6	5	7	7	7		
85+	1	0	8	2	2	0	6	4	2	3	3	2	2		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	30	23	15	28	23	29	21	15	18	10	23	21	21		
<b>All ages</b>	<b>38</b>	<b>28</b>	<b>33</b>	<b>42</b>	<b>38</b>	<b>40</b>	<b>30</b>	<b>23</b>	<b>26</b>	<b>18</b>	<b>33</b>	<b>30</b>			
<b>Age-specific rates (per million population)</b>															
< 25	1	0	0	0	0	0	0	1	0	0	0	0	0		
25–34	6	3	3	3	3	3	0	0	3	0	0	3	3		
35–44	4	4	0	7	7	13	9	0	0	0	6	3	3		
45–54	34	19	5	33	5	32	4	4	8	8	11	7	7	-11.6 *	15.9
55–59	30	49	19	20	60	10	10	10	21	21	10	10	10	-10.5	-15.0
60–64	72	34	33	54	65	74	74	52	52	0	54	22	22	-4.6	-48.8
65–69	93	47	92	88	42	27	76	37	12	60	94	59	59	-2.6	17.8
70–74	99	114	37	92	73	130	56	91	122	17	64	136	136	-0.0	113.4
75–84	128	102	196	225	234	191	50	49	94	77	107	105	105	-6.7	30.9
85+	130	0	924	214	204	0	558	357	167	235	224	142	142	-3.5	-42.8
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	19	14	16	20	18	19	14	11	12	8	15	14	14		
Age std	22	15	23	24	22	21	17	13	13	9	16	14	14	-5.0 **	14.9
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	27	21	13	24	19	24	17	12	14	8	18	16	16		
Age std	28	20	14	25	19	25	17	13	15	8	18	16	16	-5.0 **	30.6 *
<b>Females</b>															
<b>Deaths (number)</b>															
< 25	0	0	0	1	0	0	1	0	0	0	0	0	0		
25–34	1	0	2	0	0	2	0	0	1	0	0	1	1		
35–44	0	1	2	1	1	2	0	1	0	0	1	0	0		
45–54	8	6	2	7	6	2	5	6	2	1	4	3	3		
55–59	12	3	9	4	4	1	4	4	2	1	3	4	4		
60–64	9	12	3	7	4	5	4	4	8	3	4	0	0		
65–69	12	10	12	15	8	11	8	6	5	7	10	4	4		
70–74	14	17	26	17	7	10	16	5	7	11	13	11	11		
75–84	15	24	32	16	27	15	31	21	26	11	21	34	34		
85+	6	11	13	14	15	10	9	9	5	6	19	10	10		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	56	49	56	51	30	33	37	26	25	23	35	23	23		
<b>All ages</b>	<b>77</b>	<b>84</b>	<b>101</b>	<b>82</b>	<b>72</b>	<b>58</b>	<b>78</b>	<b>56</b>	<b>56</b>	<b>40</b>	<b>75</b>	<b>67</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	0	1	0	0	1	0	0	0	0	0	0		
25–34	3	0	6	0	0	6	0	0	3	0	0	3	3		
35–44	0	4	7	3	3	6	0	3	0	0	3	0	0		
45–54	40	30	10	34	29	9	23	27	9	4	16	11	11	-10.3 *	13.4
55–59	119	30	90	41	41	10	42	42	21	11	31	40	40	-11.6 *	170.5
60–64	99	126	31	72	41	51	41	41	83	32	43	0	0	-11.0 *	-100.0
65–69	157	133	158	191	98	129	89	66	54	76	108	43	43	-9.1 **	-34.8
70–74	215	251	376	243	100	144	234	72	97	146	166	135	135	-7.4 **	24.0
75–84	193	299	386	188	308	166	332	219	265	110	208	333	333	-1.3	73.3 *
85+	267	472	523	529	552	359	314	307	164	189	573	291	291	-3.5	-8.2
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	38	41	49	39	34	27	36	25	25	18	33	30	30		
Age std	36	38	44	35	30	24	31	22	22	15	27	23	23	-6.1 **	24.4 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	50	43	48	43	25	27	30	21	19	18	27	17	17		
Age std	46	40	44	41	24	26	28	20	19	16	25	16	16	-9.2 **	-2.1

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 401–405  
Hypertensive disease**
**Victoria  
Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Males</b>															
<b>Deaths (number)</b>															
< 25	0	0	0	1	0	2	0	1	0	0	0	0	0		
25–34	2	2	0	0	1	2	0	1	1	0	0	0	0		
35–44	10	3	3	0	2	1	2	1	2	2	0	0	0		
45–54	7	11	4	2	3	4	5	5	7	2	3	4	4		
55–59	13	8	6	1	2	6	7	5	5	3	5	3	3		
60–64	17	15	10	6	9	4	7	8	7	15	5	9	9		
65–69	23	14	13	15	13	7	14	12	9	19	10	11	11		
70–74	27	29	22	22	23	20	19	18	15	10	17	20	20		
75–84	42	43	39	48	50	49	39	31	42	36	41	28	28		
85+	15	23	19	23	19	22	31	18	20	23	18	19	19		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	99	82	58	46	53	44	54	50	46	51	40	47	47		
<b>All ages</b>	<b>156</b>	<b>148</b>	<b>116</b>	<b>118</b>	<b>122</b>	<b>117</b>	<b>124</b>	<b>100</b>	<b>108</b>	<b>110</b>	<b>99</b>	<b>94</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	0	1	0	2	0	1	0	0	0	0	0		
25–34	6	6	0	0	3	6	0	3	3	0	0	0	0		
35–44	37	11	10	0	7	3	6	3	6	6	0	0	0	–24.1 **	–100.0
45–54	34	53	19	9	14	18	22	21	29	8	11	15	15	–8.5 *	28.0
55–59	128	78	58	10	20	61	72	52	52	31	51	30	30	–7.7	–12.7
60–64	204	171	111	65	97	42	74	83	73	160	54	99	99	–5.8	57.9
65–69	355	220	200	221	183	94	178	150	110	228	118	129	129	–6.8 **	10.5
70–74	534	553	409	406	420	370	355	327	261	166	270	302	302	–7.2 **	44.0
75–84	897	875	762	901	902	851	653	503	661	555	624	419	419	–5.7 **	–23.0
85+	1,950	2,873	2,194	2,456	1,939	2,157	2,883	1,605	1,668	1,805	1,343	1,353	1,353	–5.0 *	–13.2
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	78	73	57	57	58	55	58	46	49	50	45	42	42		
Age std	104	102	78	80	78	73	76	57	61	60	53	48	48	–6.3 **	–3.6
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	90	73	51	40	45	36	44	40	36	40	31	36	36		
Age std	94	76	53	43	48	39	47	42	38	41	32	36	36	–8.0 **	31.3 **
<b>Females</b>															
<b>Deaths (number)</b>															
< 25	0	0	0	0	1	0	0	0	0	1	0	0	0		
25–34	0	0	0	0	0	1	0	0	0	0	0	0	0		
35–44	2	2	0	1	1	1	1	0	1	2	0	1	1		
45–54	2	4	0	1	1	2	1	2	2	2	1	1	1		
55–59	9	2	1	2	1	1	2	1	1	3	2	1	1		
60–64	6	4	10	6	6	5	1	4	6	9	4	1	1		
65–69	15	11	10	10	8	10	14	8	17	9	5	12	12		
70–74	19	21	18	26	17	16	17	11	17	15	11	18	18		
75–84	64	64	87	75	84	74	78	69	61	78	64	60	60		
85+	81	74	84	84	84	70	81	84	79	91	80	78	78		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	53	44	39	46	34	36	36	26	44	40	23	34	34		
<b>All ages</b>	<b>198</b>	<b>182</b>	<b>210</b>	<b>205</b>	<b>203</b>	<b>180</b>	<b>195</b>	<b>179</b>	<b>184</b>	<b>210</b>	<b>167</b>	<b>172</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	0	0	1	0	0	0	0	1	0	0	0		
25–34	0	0	0	0	0	3	0	0	0	0	0	0	0		
35–44	8	7	0	3	3	3	3	0	3	6	0	3	3		
45–54	10	20	0	5	5	9	5	9	9	8	4	4	4		
55–59	89	20	10	20	10	10	21	11	11	32	21	10	10	–11.7	–0.8
60–64	66	42	103	61	61	51	10	41	62	95	43	11	11	–4.8	–78.7
65–69	196	147	132	127	98	117	157	88	185	97	54	130	130	–4.0	44.1
70–74	292	311	261	372	242	230	249	158	235	199	141	221	221	–5.2 *	35.9
75–84	825	796	1,051	881	958	820	837	720	622	781	635	588	588	–3.6 **	–11.6
85+	3,609	3,173	3,378	3,172	3,093	2,511	2,822	2,870	2,597	2,871	2,411	2,272	2,272	–3.4 **	–6.6
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	97	89	101	98	96	84	90	81	83	94	74	76	76		
Age std	86	77	85	80	77	67	70	62	64	70	53	54	54	–3.9 **	–5.6
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	47	39	34	39	28	29	29	21	34	31	17	26	26		
Age std	43	36	31	35	26	28	27	19	32	29	16	23	23	–5.3 **	13.5

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 410**  
**Acute myocardial infarction**
**Victoria**  
**Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	0	0	2	2	0	0	0	2	2	1	0	0		
25–34	8	7	8	5	7	6	5	1	3	7	1	1		
35–44	67	60	40	58	44	52	37	48	39	25	23	20		
45–54	216	181	197	180	145	125	131	105	86	102	102	107		
55–59	274	283	241	216	185	141	156	141	141	107	101	82		
60–64	394	421	377	393	315	265	286	267	229	245	198	162		
65–69	464	457	505	455	409	376	436	397	341	342	303	346		
70–74	589	666	617	532	550	478	485	457	461	433	438	429		
75–84	957	977	1,037	998	1,002	920	972	966	972	957	946	908		
85+	242	278	298	290	290	278	362	327	350	394	361	397		
Not stated	0	2	1	1	0	0	0	0	0	0	0	0		
25–74	2,012	2,075	1,985	1,839	1,655	1,443	1,536	1,416	1,300	1,261	1,166	1,147		
<b>All ages</b>	<b>3,211</b>	<b>3,332</b>	<b>3,323</b>	<b>3,130</b>	<b>2,947</b>	<b>2,641</b>	<b>2,870</b>	<b>2,711</b>	<b>2,624</b>	<b>2,613</b>	<b>2,473</b>	<b>2,452</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	0	2	2	0	0	0	2	2	1	0	0		
25–34	25	21	24	15	20	17	14	3	8	19	3	3	-12.6 **	-60.1
35–44	250	216	139	196	145	166	116	147	117	75	69	60	-10.4 **	-20.8
45–54	1,045	871	941	847	669	566	577	448	355	403	389	396	-9.9 **	27.9
55–59	2,697	2,770	2,342	2,114	1,839	1,427	1,600	1,471	1,475	1,109	1,028	817	-9.7 **	-14.4
60–64	4,731	4,797	4,181	4,279	3,392	2,803	3,006	2,785	2,404	2,615	2,158	1,789	-8.2 **	-9.9
65–69	7,157	7,172	7,779	6,706	5,762	5,051	5,557	4,947	4,158	4,099	3,563	4,052	-6.7 **	15.2
70–74	11,647	12,703	11,476	9,814	10,052	8,849	9,071	8,313	8,016	7,192	6,957	6,467	-5.7 **	-1.5
75–84	20,428	19,890	20,274	18,730	18,072	15,979	16,276	15,669	15,295	14,756	14,402	13,597	-3.8 **	0.2
85+	31,461	34,728	34,415	30,963	29,598	27,263	33,671	29,163	29,193	30,924	26,930	28,260	-1.5 *	1.1
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	1,603	1,647	1,625	1,515	1,410	1,248	1,338	1,248	1,197	1,184	1,118	1,106		
Age std	2,105	2,132	2,080	1,898	1,755	1,544	1,648	1,513	1,431	1,393	1,286	1,246	-5.1 **	1.6
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	1,828	1,851	1,739	1,582	1,397	1,195	1,249	1,131	1,025	983	902	880		
Age std	1,891	1,917	1,811	1,641	1,457	1,259	1,320	1,195	1,075	1,020	924	888	-7.3 **	2.3
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	0	0	2	0	0	0	1	1	0	0	1	0		
25–34	0	2	0	1	1	3	4	0	1	1	2	1		
35–44	10	5	6	5	6	3	4	11	6	7	5	7		
45–54	50	65	29	32	25	20	14	21	22	25	16	18		
55–59	75	54	44	55	40	30	33	34	36	41	31	26		
60–64	121	151	121	130	112	86	91	95	54	61	55	50		
65–69	230	231	212	209	223	183	164	190	152	160	141	146		
70–74	372	371	371	333	327	289	328	308	291	259	252	243		
75–84	891	942	999	986	980	938	985	976	996	1,050	821	916		
85+	575	561	634	655	630	622	709	709	678	779	731	773		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	858	879	783	765	734	614	638	659	562	554	502	491		
<b>All ages</b>	<b>2,324</b>	<b>2,382</b>	<b>2,418</b>	<b>2,406</b>	<b>2,344</b>	<b>2,174</b>	<b>2,333</b>	<b>2,345</b>	<b>2,236</b>	<b>2,383</b>	<b>2,055</b>	<b>2,180</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	0	2	0	0	0	1	1	0	0	1	0		
25–34	0	6	0	3	3	9	11	0	3	3	6	3		
35–44	38	19	21	17	20	10	13	34	18	21	15	21	-2.7	27.4
45–54	252	326	144	157	120	94	64	93	94	102	63	68	-13.0 **	33.1
55–59	743	535	438	557	412	313	347	361	384	431	319	262	-6.7 **	-9.4
60–64	1,331	1,591	1,251	1,331	1,145	878	931	976	558	643	594	547	-9.1 **	-0.7
65–69	3,011	3,082	2,791	2,660	2,724	2,140	1,833	2,085	1,653	1,730	1,516	1,577	-6.8 **	10.1
70–74	5,724	5,486	5,371	4,761	4,659	4,159	4,803	4,433	4,014	3,442	3,224	2,980	-5.3 **	-9.7
75–84	11,486	11,717	12,063	11,584	11,175	10,393	10,564	10,179	10,156	10,518	8,143	8,982	-2.7 **	-1.5
85+	25,617	24,057	25,493	24,736	23,197	22,314	24,705	24,224	22,289	24,577	22,027	22,517	-1.0 *	-0.4
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	1,143	1,160	1,165	1,148	1,105	1,013	1,072	1,063	1,003	1,062	912	965		
Age std	1,041	1,037	1,011	973	927	835	871	859	791	816	685	704	-3.6 **	-1.3
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	768	773	677	650	612	503	513	520	437	425	382	370		
Age std	705	711	620	596	565	467	482	492	409	397	352	338	-6.7 **	-1.0

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 411–414**  
**Other ischaemic heart disease**
**Victoria**  
**Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	1	0	0	1	2	0	1	1	1	0	0	2		
25–34	11	7	8	1	4	5	9	4	9	3	7	6		
35–44	36	34	33	29	41	52	37	39	40	37	22	30		
45–54	136	118	108	112	124	101	115	105	99	113	105	79		
55–59	146	143	146	117	116	117	86	101	102	87	83	69		
60–64	177	152	166	168	184	154	172	155	161	135	137	111		
65–69	221	205	184	180	196	206	218	200	207	204	198	195		
70–74	216	206	234	240	225	221	263	225	239	262	257	243		
75–84	405	370	439	433	462	432	501	458	512	500	507	485		
85+	142	163	173	164	183	185	188	202	225	272	247	305		
Not stated	0	2	1	1	3	0	0	0	0	0	0	0		
25–74	943	865	879	847	890	856	900	829	857	841	809	733		
<b>All ages</b>	<b>1,491</b>	<b>1,400</b>	<b>1,492</b>	<b>1,446</b>	<b>1,540</b>	<b>1,473</b>	<b>1,590</b>	<b>1,490</b>	<b>1,595</b>	<b>1,613</b>	<b>1,563</b>	<b>1,525</b>		
<b>Age-specific rates (per million population)</b>														
< 25	1	0	0	1	2	0	1	1	1	0	0	2		
25–34	34	21	24	3	12	14	25	11	25	8	19	17	-3.6	24.7
35–44	134	122	115	98	135	166	116	119	120	111	66	90	-3.1 *	-10.1
45–54	658	568	516	527	572	457	506	448	408	446	400	292	-5.0 **	-24.2
55–59	1,437	1,400	1,419	1,145	1,153	1,184	882	1,054	1,067	902	845	688	-5.6 **	-16.0
60–64	2,125	1,732	1,841	1,829	1,982	1,629	1,808	1,617	1,690	1,441	1,493	1,226	-3.3 **	-16.6
65–69	3,409	3,217	2,834	2,653	2,761	2,767	2,779	2,492	2,524	2,445	2,329	2,284	-3.1 **	1.2
70–74	4,271	3,929	4,352	4,427	4,112	4,091	4,919	4,093	4,156	4,352	4,082	3,663	-0.6	-14.0
75–84	8,645	7,533	8,583	8,126	8,332	7,503	8,389	7,429	8,057	7,710	7,719	7,263	-1.0 *	-4.9
85+	18,461	20,362	19,979	17,510	18,677	18,143	17,487	18,015	18,767	21,348	18,426	21,711	0.8	14.4
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	744	692	730	700	737	696	741	686	728	731	707	688		
Age std	983	913	943	884	913	856	901	827	862	856	806	778	-1.6 **	-3.7 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	857	772	770	729	751	709	732	662	675	655	626	562		
Age std	877	793	788	751	774	736	769	692	701	675	637	566	-2.9 **	-11.4 **
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	2	4	2	2	1	1	1	0	2	1	0		
35–44	7	9	8	3	3	5	6	4	1	6	5	6		
45–54	29	17	24	22	20	19	17	16	15	18	23	20		
55–59	33	23	30	26	26	22	22	13	21	17	21	23		
60–64	51	53	60	45	55	37	36	55	36	35	35	28		
65–69	83	70	84	113	92	58	98	79	88	84	74	60		
70–74	140	125	140	155	148	134	137	108	118	123	131	104		
75–84	385	416	435	416	475	412	527	417	405	493	415	429		
85+	322	404	421	421	468	449	504	465	489	565	534	621		
Not stated	2	0	1	0	0	0	0	0	0	0	0	0		
25–74	343	299	350	366	346	276	317	276	279	285	290	241		
<b>All ages</b>	<b>1,052</b>	<b>1,119</b>	<b>1,207</b>	<b>1,203</b>	<b>1,289</b>	<b>1,137</b>	<b>1,348</b>	<b>1,158</b>	<b>1,173</b>	<b>1,343</b>	<b>1,239</b>	<b>1,291</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	6	12	6	6	3	3	3	0	5	3	0		
35–44	27	33	29	10	10	16	19	12	3	18	15	18	-6.8	88.4
45–54	146	85	119	108	96	90	78	71	64	73	90	76	-4.9 *	15.6
55–59	327	228	299	264	268	230	231	138	224	179	216	232	-3.7	32.7
60–64	561	559	620	461	562	378	368	565	372	369	378	307	-5.0 **	-13.2
65–69	1,087	934	1,106	1,438	1,124	678	1,096	867	957	908	796	648	-3.7 **	-22.2
70–74	2,154	1,848	2,027	2,216	2,109	1,928	2,006	1,554	1,628	1,635	1,676	1,275	-3.5 **	-19.6
75–84	4,963	5,175	5,253	4,887	5,416	4,565	5,652	4,349	4,130	4,939	4,116	4,207	-1.9 **	-3.3
85+	14,346	17,324	16,928	15,899	17,232	16,108	17,562	15,887	16,075	17,826	16,091	18,089	0.7	7.1
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	518	545	582	574	608	530	620	525	526	598	550	571		
Age std	466	475	497	480	498	425	494	413	406	449	404	403	-1.7 **	-2.3
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	307	263	302	311	289	226	255	218	217	219	220	181		
Age std	283	242	280	288	267	211	241	207	204	205	205	168	-4.0 **	-12.3 **

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

ICD-9: 428  
Heart failureVictoria  
Males and females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	2	1	3	1	0	0	1	0	0	0	0	1		
25–34	0	2	0	1	1	0	0	0	0	0	1	0		
35–44	0	0	0	1	2	1	3	1	2	0	3	1		
45–54	6	2	2	2	6	0	1	3	2	1	1	4		
55–59	1	6	3	2	6	6	5	2	5	3	4	0		
60–64	5	3	13	6	2	5	5	7	2	4	5	8		
65–69	15	16	18	13	17	9	25	11	8	10	15	20		
70–74	30	24	28	25	31	19	27	18	16	28	37	16		
75–84	124	106	141	131	138	130	116	113	134	137	119	127		
85+	86	84	98	93	113	105	118	95	115	132	129	117		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	57	53	64	50	65	40	66	42	35	46	66	49		
<b>All ages</b>	<b>269</b>	<b>244</b>	<b>306</b>	<b>275</b>	<b>316</b>	<b>275</b>	<b>301</b>	<b>250</b>	<b>284</b>	<b>315</b>	<b>314</b>	<b>294</b>		
<b>Age-specific rates (per million population)</b>														
< 25	2	1	4	1	0	0	1	0	0	0	0	1		
25–34	0	6	0	3	3	0	0	0	0	0	3	0		
35–44	0	0	0	3	7	3	9	3	6	0	9	3		
45–54	29	10	10	9	28	0	4	13	8	4	4	15	-8.6	274.6
55–59	10	59	29	20	60	61	51	21	52	31	41	0	-2.1	-100.0
60–64	60	34	144	65	22	53	53	73	21	43	54	88	-1.8	116.9
65–69	231	251	277	192	240	121	319	137	98	120	176	234	-3.9	79.1
70–74	593	458	521	461	567	352	505	327	278	465	588	241	-3.5	-42.3
75–84	2,647	2,158	2,757	2,459	2,489	2,258	1,942	1,833	2,109	2,112	1,812	1,902	-3.1 **	4.5
85+	11,180	10,493	11,318	9,930	11,533	10,297	10,976	8,472	9,592	10,360	9,623	8,329	-2.0 *	-11.9
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	134	121	150	133	151	130	140	115	130	143	142	133		
Age std	230	202	239	207	228	195	202	163	180	191	181	164	-2.7 **	-4.4
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	52	47	56	43	55	33	54	34	28	36	51	38		
Age std	57	51	60	46	59	35	58	36	29	38	53	38	-3.4 **	0.2
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	0	1	1	1	0	1	0	0	0	0	0	0		
25–34	0	0	0	0	1	1	0	0	0	0	0	0		
35–44	2	0	0	0	1	0	2	0	0	0	0	0		
45–54	2	0	1	2	0	0	1	0	2	0	1	1		
55–59	4	1	2	1	0	2	1	3	1	1	4	1		
60–64	5	3	5	9	2	6	9	3	1	5	1	4		
65–69	17	11	15	9	12	9	17	8	6	7	8	12		
70–74	33	25	33	37	22	21	24	20	22	23	30	24		
75–84	150	175	150	163	175	179	175	163	145	170	137	176		
85+	240	244	278	289	305	293	343	296	321	332	308	344		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	63	40	56	58	38	39	54	34	32	36	44	42		
<b>All ages</b>	<b>453</b>	<b>460</b>	<b>485</b>	<b>511</b>	<b>518</b>	<b>512</b>	<b>572</b>	<b>493</b>	<b>498</b>	<b>538</b>	<b>489</b>	<b>562</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	1	1	1	0	1	0	0	0	0	0	0		
25–34	0	0	0	0	3	3	0	0	0	0	0	0		
35–44	8	0	0	0	3	0	6	0	0	0	0	0		
45–54	10	0	5	10	0	0	5	0	9	0	4	4		
55–59	40	10	20	10	0	21	11	32	11	11	41	10		
60–64	55	32	52	92	20	61	92	31	10	53	11	44	-4.9	39.0
65–69	223	147	197	115	147	105	190	88	65	76	86	130	-7.1 *	86.6
70–74	508	370	478	529	313	302	351	288	303	306	384	294	-4.2 *	2.4
75–84	1,934	2,177	1,811	1,915	1,996	1,983	1,877	1,700	1,479	1,703	1,359	1,726	-2.6 **	16.5
85+	10,692	10,463	11,178	10,914	11,230	10,511	11,952	10,113	10,553	10,475	9,281	10,020	-1.0	-0.5
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	223	224	234	244	244	239	263	223	223	240	217	249		
Age std	192	188	189	190	187	181	196	164	159	167	147	164	-2.1 **	5.9 *
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	56	35	48	49	32	32	43	27	25	28	33	32		
Age std	52	32	44	44	29	29	41	25	23	25	30	29	-5.2 **	22.2 *

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 428.0  
Congestive heart failure**
**Victoria  
Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Males</b>															
<b>Deaths (number)</b>															
< 25	1	0	2	1	0	0	0	0	0	0	0	0	0		
25–34	0	1	0	1	0	0	0	0	0	0	0	0	0		
35–44	0	0	0	1	0	1	2	0	0	0	0	1	1		
45–54	4	2	2	1	5	0	1	2	2	0	0	0	2		
55–59	0	2	3	1	6	2	4	1	4	3	2	0	0		
60–64	5	3	10	3	0	3	2	5	1	2	4	5	5		
65–69	10	11	12	11	16	6	18	8	5	9	6	15	15		
70–74	27	20	21	20	27	18	20	14	14	25	23	11	11		
75–84	89	70	103	101	102	87	82	67	84	75	61	79	79		
85+	60	60	70	67	89	63	73	60	73	100	78	80	80		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	46	39	48	38	54	30	47	30	26	39	36	34	34		
<b>All ages</b>	<b>196</b>	<b>169</b>	<b>223</b>	<b>207</b>	<b>245</b>	<b>180</b>	<b>202</b>	<b>157</b>	<b>183</b>	<b>214</b>	<b>175</b>	<b>193</b>			
<b>Age-specific rates (per million population)</b>															
< 25	1	0	2	1	0	0	0	0	0	0	0	0	0		
25–34	0	3	0	3	0	0	0	0	0	0	0	0	0		
35–44	0	0	0	3	0	3	6	0	0	0	3	3	3		
45–54	19	10	10	5	23	0	4	9	8	0	0	7	7		
55–59	0	20	29	10	60	20	41	10	42	31	20	0	0	0.8	–100.0
60–64	60	34	111	33	0	32	21	52	10	21	44	55	55	–4.9	162.4
65–69	154	173	185	162	225	81	229	100	61	108	71	176	176	–4.7	108.1
70–74	534	381	391	369	493	333	374	255	243	415	365	166	166	–5.1 *	–45.9
75–84	1,900	1,425	2,014	1,896	1,840	1,511	1,373	1,087	1,322	1,156	929	1,183	1,183	–5.6 **	18.3
85+	7,800	7,495	8,084	7,154	9,083	6,178	6,790	5,351	6,089	7,849	5,819	5,695	5,695	–2.8 *	–5.4
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	98	84	109	100	117	85	94	72	83	97	79	87	87		
Age std	165	140	174	155	177	126	135	102	116	131	102	108	108	–4.3 **	3.1
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	42	35	42	33	46	25	38	24	20	30	28	26	26		
Age std	46	38	44	36	49	27	42	26	22	32	29	27	27	–4.9 **	3.5
<b>Females</b>															
<b>Deaths (number)</b>															
< 25	0	1	1	0	0	1	0	0	0	0	0	0	0		
25–34	0	0	0	0	1	0	0	0	0	0	0	0	0		
35–44	0	0	0	0	1	0	1	0	0	0	0	0	0		
45–54	2	0	1	1	0	0	1	0	1	0	0	0	0		
55–59	3	1	1	0	0	2	1	2	1	1	1	0	0		
60–64	5	2	5	8	1	5	4	2	1	5	0	4	4		
65–69	14	8	10	9	9	7	14	6	4	5	5	8	8		
70–74	31	23	25	29	19	20	20	13	19	20	21	16	16		
75–84	112	120	101	118	124	126	120	104	82	102	67	98	98		
85+	177	185	216	219	225	189	244	197	212	232	177	197	197		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	55	34	42	47	31	34	41	23	26	31	27	28	28		
<b>All ages</b>	<b>344</b>	<b>340</b>	<b>360</b>	<b>384</b>	<b>380</b>	<b>350</b>	<b>405</b>	<b>324</b>	<b>320</b>	<b>365</b>	<b>271</b>	<b>323</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	1	1	0	0	1	0	0	0	0	0	0	0		
25–34	0	0	0	0	3	0	0	0	0	0	0	0	0		
35–44	0	0	0	0	3	0	3	0	0	0	0	0	0		
45–54	10	0	5	5	0	0	5	0	4	0	0	0	0		
55–59	30	10	10	0	0	21	11	21	11	11	10	0	0		
60–64	55	21	52	82	10	51	41	21	10	53	0	44	44	–6.1	122.4
65–69	183	107	132	115	110	82	157	66	44	54	54	86	86	–8.6 *	77.1
70–74	477	340	362	415	271	288	293	187	262	266	269	196	196	–6.0 **	–8.7
75–84	1,444	1,493	1,220	1,386	1,414	1,396	1,287	1,085	836	1,022	665	961	961	–5.3 **	16.5
85+	7,886	7,933	8,685	8,270	8,285	6,780	8,502	6,731	6,969	7,320	5,333	5,738	5,738	–3.3 **	–8.3
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	169	166	173	183	179	163	186	147	144	163	120	143	143		
Age std	146	139	140	143	137	125	139	108	102	113	81	95	95	–4.4 **	0.4
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	49	30	36	40	26	28	33	18	20	24	21	21	21		
Age std	45	27	33	36	24	26	31	17	19	22	18	19	19	–7.0 **	16.1

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

ICD-9: 440  
AtherosclerosisVictoria  
Males and females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Males</b>															
<b>Deaths (number)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0	0		
35–44	0	0	1	0	0	0	0	0	0	0	0	0	1		
45–54	0	1	0	0	1	0	0	1	0	0	0	0	0		
55–59	3	3	1	4	2	1	2	0	2	0	2	2	1		
60–64	10	4	4	3	5	5	2	6	2	1	3	3	3		
65–69	8	8	2	7	4	6	5	6	3	2	3	5	5		
70–74	18	13	13	10	6	16	12	5	8	8	10	15	15		
75–84	60	73	62	52	28	50	37	42	35	42	23	19	19		
85+	74	63	61	47	46	46	37	33	30	45	53	46	46		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	39	29	21	24	18	28	21	18	15	11	18	25	25		
<b>All ages</b>	<b>173</b>	<b>165</b>	<b>144</b>	<b>123</b>	<b>92</b>	<b>124</b>	<b>95</b>	<b>93</b>	<b>80</b>	<b>98</b>	<b>94</b>	<b>90</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0	0		
35–44	0	0	3	0	0	0	0	0	0	0	0	3	3		
45–54	0	5	0	0	5	0	0	4	0	0	0	0	0		
55–59	30	29	10	39	20	10	21	0	21	0	20	10	10		
60–64	120	46	44	33	54	53	21	63	21	11	33	33	33	–10.4 *	69.4
65–69	123	126	31	103	56	81	64	75	37	24	35	59	59	–9.3 *	88.9
70–74	356	248	242	184	110	296	224	91	139	133	159	226	226	–5.3	94.4
75–84	1,281	1,486	1,212	976	505	868	620	681	551	648	350	285	285	–11.7 **	–26.8
85+	9,620	7,870	7,045	5,018	4,695	4,511	3,442	2,943	2,502	3,532	3,954	3,274	3,274	–9.7 **	37.6
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	86	82	70	60	44	59	44	43	36	44	43	41	41		
Age std	156	142	119	94	69	86	64	59	50	60	56	50	50	–10.6 **	27.5 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	35	26	18	21	15	23	17	14	12	9	14	19	19		
Age std	38	28	19	22	16	25	19	15	13	9	14	20	20	–7.6 **	93.0 **
<b>Females</b>															
<b>Deaths (number)</b>															
< 25	0	0	1	0	0	0	0	0	0	0	0	1	1		
25–34	0	0	0	1	0	0	0	0	0	0	0	0	0		
35–44	0	0	1	0	0	0	0	0	0	0	0	1	1		
45–54	0	0	1	1	0	0	0	0	1	0	0	0	0		
55–59	3	0	0	0	0	0	0	0	1	0	1	0	0		
60–64	1	3	2	1	2	0	1	1	1	0	2	1	1		
65–69	4	2	2	3	4	8	1	6	3	7	2	1	1		
70–74	17	17	11	20	5	10	10	4	11	8	10	5	5		
75–84	98	93	93	75	74	68	67	76	42	44	50	39	39		
85+	191	217	217	186	193	167	172	156	146	135	123	134	134		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	25	22	17	26	11	18	12	11	17	15	15	8	8		
<b>All ages</b>	<b>314</b>	<b>332</b>	<b>328</b>	<b>287</b>	<b>278</b>	<b>253</b>	<b>251</b>	<b>243</b>	<b>205</b>	<b>194</b>	<b>188</b>	<b>182</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	1	0	0	0	0	0	0	0	0	1	1		
25–34	0	0	0	3	0	0	0	0	0	0	0	0	0		
35–44	0	0	4	0	0	0	0	0	0	0	0	3	3		
45–54	0	0	5	5	0	0	0	0	4	0	0	0	0		
55–59	30	0	0	0	0	0	0	0	11	0	10	0	0		
60–64	11	32	21	10	20	0	10	10	10	0	22	11	11		
65–69	52	27	26	38	49	94	11	66	33	76	22	11	11	–2.2	–77.8
70–74	262	251	159	286	71	144	146	58	152	106	128	61	61	–9.8 **	–30.2
75–84	1,263	1,157	1,123	881	844	753	719	793	428	441	496	382	382	–10.1 **	–6.5
85+	8,509	9,305	8,725	7,024	7,106	5,991	5,993	5,330	4,800	4,259	3,706	3,903	3,903	–8.2 **	6.9
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	154	162	158	137	131	118	115	110	92	86	83	81	81		
Age std	131	133	125	105	98	87	84	80	65	59	56	52	52	–8.7 **	–0.1
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	22	19	15	22	9	15	10	9	13	12	11	6	6		
Age std	20	17	13	20	8	14	9	8	12	11	10	5	5	–7.8 **	–33.9 *

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 441–444**  
**Peripheral vascular disease**
**Victoria**  
**Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	0	2	0	1	0	0	0	1	0	0	0	0		
25–34	0	0	0	1	0	1	0	2	1	0	0	1		
35–44	2	4	4	2	1	0	1	4	1	5	1	1		
45–54	4	4	3	7	7	5	8	9	4	4	4	1		
55–59	8	6	14	14	10	10	12	7	4	11	6	5		
60–64	23	17	22	23	21	16	21	29	30	27	16	13		
65–69	41	36	27	50	45	36	34	39	46	40	34	35		
70–74	51	55	50	51	67	50	56	60	58	65	48	51		
75–84	91	96	101	97	129	109	121	129	120	130	107	94		
85+	25	28	37	39	37	38	32	46	42	65	49	45		
Not stated	0	0	0	0	0	1	0	0	0	0	0	0		
25–74	129	122	120	148	151	118	132	150	144	152	109	107		
<b>All ages</b>	<b>245</b>	<b>248</b>	<b>258</b>	<b>285</b>	<b>317</b>	<b>266</b>	<b>285</b>	<b>326</b>	<b>306</b>	<b>347</b>	<b>265</b>	<b>246</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	2	0	1	0	0	0	1	0	0	0	0		
25–34	0	0	0	3	0	3	0	6	3	0	0	3		
35–44	7	14	14	7	3	0	3	12	3	15	3	3	–6.2	–46.1
45–54	19	19	14	33	32	23	35	38	16	16	15	4	–4.6	–83.3
55–59	79	59	136	137	99	101	123	73	42	114	61	50	–3.8	–38.0
60–64	276	194	244	250	226	169	221	302	315	288	174	144	–1.0	–43.4
65–69	632	565	416	737	634	484	433	486	561	479	400	410	–3.3 *	–6.2
70–74	1,009	1,049	930	941	1,225	926	1,047	1,091	1,008	1,080	762	769	–1.6	–19.8
75–84	1,942	1,954	1,975	1,820	2,327	1,893	2,026	2,092	1,888	2,005	1,629	1,408	–1.8	–24.8 *
85+	3,250	3,498	4,273	4,164	3,776	3,727	2,976	4,102	3,503	5,102	3,655	3,203	0.2	–22.1
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	122	123	126	138	152	126	133	150	140	157	120	111		
Age std	172	170	172	181	196	163	166	186	168	189	141	127	–1.5 **	–24.1 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	117	109	105	127	127	98	107	120	113	118	84	82		
Age std	126	118	110	135	136	105	115	128	120	124	87	84	–2.2 **	–23.8 **
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	0	0	1	1	2	0	0	0	0	0	0	0		
25–34	0	0	0	0	1	1	0	0	0	0	0	0		
35–44	0	0	0	0	2	1	3	2	1	1	0	2		
45–54	1	3	1	3	3	1	3	1	0	2	0	0		
55–59	2	5	1	1	4	1	0	2	0	5	3	1		
60–64	3	6	3	6	9	5	8	4	5	4	6	7		
65–69	10	12	8	13	9	7	12	13	9	13	20	9		
70–74	17	14	22	17	26	23	29	11	17	31	12	32		
75–84	56	51	72	49	73	67	71	77	71	82	59	80		
85+	43	53	67	59	55	75	73	82	79	92	82	73		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	33	40	35	40	54	39	55	33	32	56	41	51		
<b>All ages</b>	<b>132</b>	<b>144</b>	<b>175</b>	<b>149</b>	<b>184</b>	<b>181</b>	<b>199</b>	<b>192</b>	<b>182</b>	<b>230</b>	<b>182</b>	<b>204</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	0	1	1	2	0	0	0	0	0	0	0		
25–34	0	0	0	0	3	3	0	0	0	0	0	0		
35–44	0	0	0	0	7	3	9	6	3	3	0	6		
45–54	5	15	5	15	14	5	14	4	0	8	0	0		
55–59	20	50	10	10	41	10	0	21	0	53	31	10	–1.7	–56.8
60–64	33	63	31	61	92	51	82	41	52	42	65	77	2.4	26.8
65–69	131	160	105	165	110	82	134	143	98	141	215	97	0.6	–36.8
70–74	262	207	318	243	370	331	425	158	235	412	154	392	1.2	42.8
75–84	722	634	869	576	832	742	761	803	724	821	585	784	0.2	7.4
85+	1,916	2,273	2,694	2,228	2,025	2,691	2,544	2,802	2,597	2,903	2,471	2,126	1.2	–24.9
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	65	70	84	71	87	84	91	87	82	102	81	90		
Age std	58	61	71	59	72	67	73	68	62	77	59	66	0.7 *	–5.0
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	30	35	30	34	45	32	44	26	25	43	31	38		
Age std	27	32	27	32	41	30	42	25	23	40	29	35	0.7	6.4

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 415–427, 429, 446–459**  
**Other diseases of the circulatory system**
**Victoria**  
**Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	11	8	16	8	18	11	5	13	8	4	10	10		
25–34	8	9	17	9	7	10	12	4	10	9	11	7		
35–44	22	18	12	10	12	20	17	13	11	23	13	14		
45–54	28	29	34	37	35	39	26	35	31	31	34	37		
55–59	35	36	43	39	34	36	30	26	27	35	29	23		
60–64	44	42	59	47	59	50	50	60	54	49	42	44		
65–69	42	37	57	44	56	49	77	75	60	66	65	73		
70–74	52	64	77	53	90	71	77	77	74	66	67	72		
75–84	101	109	137	123	138	108	147	134	157	150	150	185		
85+	45	63	65	68	67	70	56	56	56	65	76	86		
Not stated	0	0	0	0	1	0	0	0	0	0	0	0		
25–74	231	235	299	239	293	275	289	290	267	279	261	270		
<b>All ages</b>	<b>388</b>	<b>415</b>	<b>517</b>	<b>438</b>	<b>517</b>	<b>464</b>	<b>497</b>	<b>493</b>	<b>488</b>	<b>498</b>	<b>497</b>	<b>551</b>		
<b>Age-specific rates (per million population)</b>														
< 25	13	9	19	10	21	13	6	15	9	5	12	12	–3.3	30.0
25–34	25	27	51	27	20	28	34	11	28	25	31	20	–2.9	–18.7
35–44	82	65	42	34	39	64	53	40	33	69	39	42	–3.2	1.0
45–54	136	140	162	174	162	176	114	149	128	122	130	137	–1.7	6.8
55–59	344	352	418	382	338	364	308	271	282	363	295	229	–3.1	–21.9
60–64	528	479	654	512	635	529	526	626	567	523	458	486	–0.9	–8.6
65–69	648	581	878	649	789	658	981	935	732	791	764	855	1.9	–0.3
70–74	1,028	1,221	1,432	978	1,645	1,314	1,440	1,401	1,287	1,096	1,064	1,085	–0.8	–12.5
75–84	2,156	2,219	2,678	2,308	2,489	1,876	2,462	2,174	2,471	2,313	2,284	2,770	0.8	19.7
85+	5,850	7,870	7,507	7,260	6,838	6,865	5,209	4,994	4,671	5,102	5,670	6,122	–2.9 *	27.4
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	194	205	253	212	247	219	232	227	223	226	225	249		
Age std	259	277	326	273	306	269	280	268	260	259	255	277	–0.8 **	7.5 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	210	210	262	206	247	228	235	232	210	217	202	207		
Age std	214	214	267	209	255	235	246	242	218	223	205	208	–0.7 **	–7.2 *
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	7	5	5	7	3	6	7	2	11	14	4	6		
25–34	1	8	6	5	8	6	5	8	6	4	7	6		
35–44	9	12	7	6	7	6	8	6	12	10	8	10		
45–54	13	15	13	12	13	9	21	10	18	15	10	8		
55–59	10	18	18	16	18	8	12	15	8	10	10	7		
60–64	23	21	28	28	16	22	23	25	12	16	19	13		
65–69	24	28	36	40	32	35	35	37	45	36	38	22		
70–74	55	43	49	43	62	40	48	48	50	53	44	49		
75–84	154	144	157	144	209	147	177	163	170	180	179	194		
85+	158	200	207	142	184	174	170	151	176	173	195	195		
Not stated	0	0	0	0	1	0	0	0	0	0	0	0		
25–74	135	145	157	150	156	126	152	149	151	144	136	115		
<b>All ages</b>	<b>454</b>	<b>494</b>	<b>526</b>	<b>443</b>	<b>553</b>	<b>453</b>	<b>506</b>	<b>465</b>	<b>508</b>	<b>511</b>	<b>514</b>	<b>510</b>		
<b>Age-specific rates (per million population)</b>														
< 25	9	6	6	9	4	7	9	2	14	17	5	8	3.5	–27.8
25–34	3	24	18	15	23	17	14	22	16	11	19	17	1.1	–8.1
35–44	35	45	25	21	23	19	25	18	36	30	24	29	–1.4	25.1
45–54	65	75	65	59	63	42	96	44	77	61	39	30	–4.0	–44.3
55–59	99	178	179	162	185	83	126	159	85	105	103	71	–5.1	–31.3
60–64	253	221	290	287	164	225	235	257	124	169	205	142	–4.4 *	–18.0
65–69	314	374	474	509	391	409	391	406	489	389	409	238	–1.2	–45.1 *
70–74	846	636	709	615	883	576	703	691	690	704	563	601	–1.8	–4.1
75–84	1,985	1,791	1,896	1,692	2,383	1,629	1,898	1,700	1,733	1,803	1,775	1,902	–0.6	9.4
85+	7,039	8,576	8,323	5,363	6,775	6,242	5,924	5,159	5,786	5,458	5,876	5,680	–3.2 **	11.7
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	223	241	253	211	261	211	233	211	228	228	228	226		
Age std	201	210	216	180	216	172	191	172	182	178	173	165	–2.0 **	–2.0
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	121	128	136	127	130	103	122	118	117	111	103	87		
Age std	112	119	127	120	122	98	118	113	112	105	98	81	–2.3 **	–21.8 **

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.